



# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.	
10/646,228	08/22/2003	Michel Pharand	16-332	1389	
7590 05/19/2005			EXAMINER		
WATTS HOFFMANN CO., L.P.A.			HEWITT, JAMES M		
P.O. Box 99839					
Cleveland, OH 44199-0839			ART UNIT	PAPER NUMBER	
•		·	3679	3679	

DATE MAILED: 05/19/2005

Please find below and/or attached an Office communication concerning this application or proceeding.

	Application No.	Applicant(s)				
	10/646,228	PHARAND ET AL.				
Office Action Summary	Examiner	Art Unit				
	James M Hewitt	3679				
The MAILING DATE of this communication appears on the cover sheet with the correspondence address						
Period for Reply						
A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 2 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION.  - Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.  - If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely.  - If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.  - Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133).  Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).						
Status						
1)⊠ Responsive to communication(s) filed on 8/22/03 and 12/1/03.						
2a) This action is <b>FINAL</b> . 2b) ★ This	action is non-final.					
	Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under <i>Ex parte Quayle</i> , 1935 C.D. 11, 453 O.G. 213.					
Disposition of Claims						
<ul> <li>4) ☐ Claim(s) 1-5 is/are pending in the application.</li> <li>4a) Of the above claim(s) is/are withdrawn from consideration.</li> <li>5) ☐ Claim(s) is/are allowed.</li> <li>6) ☐ Claim(s) is/are rejected.</li> <li>7) ☐ Claim(s) 1-5 is/are objected to.</li> <li>8) ☐ Claim(s) are subject to restriction and/or election requirement.</li> </ul>						
Application Papers						
9) The specification is objected to by the Examiner.						
10)☐ The drawing(s) filed on is/are: a)☐ accepted or b)☐ objected to by the Examiner.						
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).						
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).						
11)☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.						
Priority under 35 U.S.C. § 119						
<ul> <li>12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).</li> <li>a) All b) Some * c) None of:</li> <li>1. Certified copies of the priority documents have been received.</li> <li>2. Certified copies of the priority documents have been received in Application No</li> <li>3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).</li> <li>* See the attached detailed Office action for a list of the certified copies not received.</li> </ul>						
Attachment(s)						
<ol> <li>Notice of References Cited (PTO-892)</li> <li>Notice of Draftsperson's Patent Drawing Review (PTO-948)</li> <li>Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08) Paper No(s)/Mail Date 12/1/03.</li> </ol>	4) Interview Summary Paper No(s)/Mail Da 5) Notice of Informal Pa					

Art Unit: 3679

### **DETAILED ACTION**

# Specification

The disclosure is objected to because of the following informalities:

The title "Method of Positioning an Elevator Tube" should be changed as the claims are not drawn to a method.

On page 5 line 10, is "tube base 39" correct?

On the last line of page 5, is "gas cushion" correct?

Appropriate correction is required.

### Claim Objections

Claims 1-5 are objected to because of the following informalities:

In claim 1 line 3, "the seal" lacks antecedent basis. It seems as if "seal" should be replaced with "coupling".

In claim 1 line 4, "rod" should be replaced with "rod, the bearing comprising".

In claim 3 line 2, "axis" should be replaced with "axis, the apparatus comprising".

In claim 3 lines 8-9, the phrase "a...coupling...that engages the elevator tube to form a gas curtain" is awkward and confusing. And further, it is unclear as to how it can be said that the coupling engages the elevator tube when a gap is present between the coupling and the tube.

In claim 3 line 12, "tube" should be replaced with "tube, the bearing comprising".

Application/Control Number: 10/646,228

Art Unit: 3679

In claim 3 line 14, it is unclear as to how the gas curtain relates to the one recited in line 9,

In claim 3 line 18, a semicolon should be inserted after "surface".

In claim 5 line 1, a comma should be inserted after "flexures".

Appropriate correction is required.

# Allowable Subject Matter

Claims 1-5 would be allowable if rewritten to overcome the above-noted objections to claims 1, 3 and 5 (see *Claim Objections* above).

#### Conclusion

The prior art made of record and not relied upon is considered pertinent to applicant's disclosure.

This application is in condition for allowance except for above formal matters.

Prosecution on the merits is closed in accordance with the practice under Exparte Quayle, 1935 C.D. 11, 453 O.G. 213.

A shortened statutory period for reply to this action is set to expire **TWO**MONTHS from the mailing date of this letter.


Application/Control Number: 10/646,228

Art Unit: 3679

Any inquiry concerning this communication or earlier communications from the examiner should be directed to James M Hewitt whose telephone number is 571-272-7084.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Daniel Stodola can be reached on 571-272-7087. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).



Page 4